

# Guidelines for using the Multiplexing Features of RTP to Support Multiple Media Streams



draft-ietf-avtcore-multiplex-guidelines-06

Magnus Westerlund

Colin Perkins

Roni Even

Harald Alvestrand

Bo Burman

# Outline



- Changes
- Open Issues
- Way forward

# Changes



- Lots of editorial
- Improved use of RTP Taxonomy (RFC 7656)
- Significant changes in descriptions of
  - RTP sessions
  - Synchronisation Source (SSRC)
  - RTP Payload types
- Binding Related Sources
- RTP Translator Interworking
- Multicast
  - Clarification between ASM and SSM
- Design Choices
  - Focused on the relevant differences
- Security Considerations

# Open Issues



- Definitions of
  - RTP Sink
  - RTP Source
  - Authors proposes that we use **“RTP Participant”** and rewrite these, e.g.
    - RTP participant in an RTP session that receives rtp data packets
- Does the MSID text need to be updated and clarified based on the evolution of MSID since previous version. Section 3.4.3.
  - Propose to remove the discussion of MSID in this document
- Propose to reverse order of sub-sections in section 5

# Way Forward



- Rewrite the definitions
- Continue the editorial improvements
- Goal that with next version editors should think it is ready for WG last call